

Matter No.: 10973-105001 Page 1
Applicant(s): Naoki Takii et al.
VEHICLE HEADLAMP APPARATUS AND METHOD OF
SETTING OPTICAL AXIS POSITION THEREOF



Page 2 of 12

Matter No.: 10973-105001 Page 2
Applicant(s): Naoki Takii et al.
VEHICLE HEADLAMP APPARATUS AND METHOD OF
SETTING OPTICAL AXIS POSITION THEREOF

FIG. 2



Matter No.: 10973-105001

Page 3 of 12

Applicant(s): Naoki Takii et al.

VEHICLE HEADLAMP APPARATUS AND METHOD OF
SETTING OPTICAL AXIS POSITION THEREOF

FIG. 3




FIG. 4






FIG. 5



Matter No.: 10973-105001 Page 6
Applicant(s): Naoki Takii et al.
VEHICLE HEADLAMP APPARATUS AND METHOD OF
SETTING OPTICAL AXIS POSITION THEREOF

6/12




Page 7 of 12


Matter No.: 10973-105001 Page 7
Applicant(s): Naoki Takii et al.
VEHICLE HEADLAMP APPARATUS AND METHOD OF
SETTING OPTICAL AXIS POSITION THEREOF

7/12

FIG. 7




Matter No.: 10973-105001 Page 8
Applicant(s): Naoki Takii et al.
VEHICLE HEADLAMP APPARATUS AND METHOD OF
SETTING OPTICAL AXIS POSITION THEREOF



Matter No.: 10973-105001 Page 9
Applicant(s): Naoki Takii et al.
VEHICLE HEADLAMP APPARATUS AND METHOD OF
SETTING OPTICAL AXIS POSITION THEREOF


9/12



Matter No.: 10973-105001 Applicant(s): Naoki Takii et al. Page 10 of 12

VEHICLE HEADLAMP APPARATUS AND METHOD OF SETTING OPTICAL AXIS POSITION THEREOF

FIG. 10




Matter No.: 10973-105001 Applicant(s): Naoki Takii et al.

VEHICLE HEADLAMP APPARATUS AND METHOD OF SETTING OPTICAL AXIS POSITION THEREOF

11/12

FIG. 11A



Page 12 of 12 Matter No.: 10973-105001 Applicant(s): Naoki Takii et al.

VEHICLE HEADLAMP APPARATUS AND METHOD OF SETTING OPTICAL AXIS POSITION THEREOF

12/12

FIG. 12A

TWO-SIDED ABUTMENT SYSTEM




FIG. 12B

